



1-seater bench with 4-legged injected aluminum base available in polished aluminum, matte white and matte black. Piping available in fabric to match upholstery on the bench, white, black or sand color.

📦 0.33 m³ 📏 11.65 Ft ⚖️ 24.55 kg 📏 54.12 Lbs 📏

	Seat height	Width	Depth
Measures (mm)	430	850	750

Frame	4-legged aluminum injected base.
Seat	Solid beech structure with flame retardant polyurethane flexible foam with a density between 25 kg/m ³ and 40 kg/m ³ .
Back	Solid beech structure with flame retardant polyurethane flexible foam with a density between 55 lb/ft ³ and 88 lb/ft ³ .
Arms	Solid beech wood covered with flexible flame retardant polyurethane foam with density between 55 lb/ft ³ and 88 lb/ft ³ .
Accessories	Felt glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Fabrics / Telas

- | | | |
|---|--|---|
| <p>1 Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban</p> <p>2 Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco</p> <p>3 Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo</p> | <p>4 Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic</p> <p>5 Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool</p> | <p>6 Go check
Swing
Chartres
Loom Five
Zori
Patio</p> <p>7 Canvas 2
Rime
Select
Clara 2</p> <p>8 Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino</p> <p>9 Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3</p> |
|---|--|---|

Faux Leather / Ecopiel

- | | |
|--|--|
| <p>1 Valencia
2 Silvertex
3 Maglia
4 Dolce
8 Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
9 Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech</p> <p>10 Brisa Distressed Outdoor
Ultraleather Distressed Outdoor
Ultratech Helix
Ultratech Wired</p> | <p>11 Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove</p> |
|--|--|

Leather / Piel

- L1** High grade cow leather
Piel de vaca de 1ª categoría
- L3** Polished full grain leather
Plena flor pulida
- L6** Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.



Piping finish



Aluminum finish

RESISTANCE AND QUALITY UNE-EN 16139:2013

FIREPROOF UNE-EN 1021-1:2006

B.S. 5852 Part 2 Crib V

UNI 9175 M-1

California Tech.Bulletin 117

BKZ 5.2

SUSTAINABILITY

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard