



3-seater corner sofa with upholstered seat and backrest and 4 aluminum injected legs base available in different finishes. Left side

📦 1.2 m3 🧑 55 kg 📏 42.38 Ft 121.25 Lbs

	Backrest height	Seat height	Width	Depth
Measures (mm)	720	430	1,950	750

Frame	4-legged aluminum injected base finished in polished aluminum, white or black.
Seat	Solid pine structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 55 lb/ft3 and 88 lb/ft3.
Back	Solid pine structure with flame retardant polyurethane flexible foam with a density between 55 lb/ft3 and 88 lb/ft3.
Arms	Solid pine wood covered with flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3.
Accesories	Polypropylene, felt or steel glides. USB charging system in upholstery
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.

Fabrics / Telas

- 1
Soft-fiber
Jacquard One
Jacquard Three
Citadel
Sand
Era
Gravity
Rivet
Urban

2
Jacquard Two
Solid & Stripes
Loom One
Circular One Pure Eco

3
Jacquard Four
Medley
Revive 1
Natte
Main Line Flax
Loom Two
Mezzo

4
Jacquard 4 Special
Nexus
Field 2
Floyd
Remix 3
Heritage
Savane
Loom Three
Loom Four
Cura
Oceanic

5
Silk
Synergy
Step
Step Melange
Blazer
Melange Nap
Glow
Chili
Noma
Re-wool

6
Go check
Swing
Chartres
Loom Five
Zori
Patio

7
Canvas 2
Rime
Select
Clara 2

8
Capture
Fiord 2
Tonus 4
Divina 3
Lopi
Domino

9
Divina MD
Divina Melange 3
Hallingdal 65
Steelcut Trio 3

Faux Leather / Ecopiel

- 1
Valencia
2
Silvertex
3
Maglia
4
Dolce
8
Ultraleather Original
Ultraleather Linen
Ultraleather Pearlized
9
Brisa Original
Brisa Distressed
Brisa Fresco
Brisa Mokume
Ultraleather Cora Outdoor
Ultraleather Pony
Ultraleather Pro
Ultraleather Promessa
Ultraleather Promessa Outdoor
Ultraleather Dwell
Ultratech EcoTech
10
Brisa Distressed Outdoor
Ultraleather Distressed Oudoor
Ultratech Helix
Ultratech Wired
- 11
Ultraleather Reef Pro
Ultraleather Volar Bio
Ultratech Cove

Leather / Piel

- L1
High grade cow leather
Piel de vaca de 1ª categoría
- L3
Polished full grain leather
Plena flor pulida
- L6
Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.



Upholstery

Leather

Piping finish

Aluminum finish

RESISTANCE AND QUALITY
 UNE-EN 16139:2013

FIREPROOF
 UNE-EN 1021-1:2006
 B.S. 5852 Part 2 Crib V
 UNI 9175 M-1
 California Tech.Bulletin 117
 BKZ 5.2

SUSTAINABILITY

ISO 14001

level® 2 certified to ANSI/BIFMA e3 Standard