



Chair with upholstered seat and backrest and steel oval plate cantilever base finished in polished chrome, white or black.

0.31 m3 10.95 Ft 13.38 kg 29.5 Lbs

	Backrest height	Seat height	Width	Depth
Measures (mm)	820	465	475	550

Frame	Solid steel plate cantilevered base with polished chrome finish.
Seat	Shell made of flexible and fire resistant injected polyurethane foam with density of 132 lb/ft3.
Back	Shell made of flexible and fire resistant injected polyurethane foam with density of 132 lb/ft3.
Accessories	Felt glides.
Other materials	Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.


Fabrics / Telas	Faux Leather / Ecopiel			
<div>1</div> Jacquard One Jacquard Three Era Gravity Rivet Urban	<div>4</div> Jacquard 4 Special Nexus Floyd Heritage Savane Loom Three Loom Four Cura Oceanic	<div>6</div> Go check Swing Chartres Loom Five Zori Patio	<div>1</div> Valencia	<div>11</div> Ultraleather Reef Pro Ultraleather Volar Bio Ultratech Cove
<div>2</div> Jacquard Two Loom One Circular One Pure Eco	<div>5</div> Silk Synergy Step Step Melange Blazer Melange Nap Glow Chili Noma Re-wool	<div>7</div> Canvas 2 Rime Select Clara 2	<div>2</div> Silvertex	
<div>3</div> Jacquard Four Medley Revive 1 Natte Main Line Flax Loom Two Mezzo		<div>8</div> Capture Fiord 2 Tonus 4 Divina 3 Lopi Domino	<div>3</div> Maglia	
		<div>9</div> Divina MD Divina Melange 3 Hallingdal 65 Steelcut Trio 3	<div>4</div> Dolce	
			<div>8</div> Ultraleather Original Ultraleather Linen Ultraleather Pearlized	
			<div>9</div> Brisa Original Brisa Distressed Brisa Fresco Brisa Mokume Ultraleather Cora Outdoor Ultraleather Pony Ultraleather Pro Ultraleather Promessa Ultraleather Promessa Outdoor Ultraleather Dwell Ultratech EcoTech	
			<div>10</div> Brisa Distressed Outdoor Ultraleather Distressed Outdoor Ultratech Helix Ultratech Wired	

Upholstery

Leather / Piel

- L1** High grade cow leather
Piel de vaca de 1ª categoría
- L3** Polished full grain leather
Plena flor pulida
- L6** Aniline leather batique-effect.
Scandinavian cattle.
Piel anilina efecto batique.
Ganado escandinavo.

Leather



Leather finish



Steel finish

RESISTANCE AND QUALITY	UNE-EN 16139:2013
FIREPROOF	B.S. 5852 Part 2 Crib V
SUSTAINABILITY	ISO 14001 level® 2 certified to ANSI/BIFMA e3 Standard