



Stackable armchair with oak board seat and backrest and steel sled base finished in polished chrome, white or black. Optional fully upholstered shell or parallel upholstery stitching. Optional upholstered seat pad or upholstered shell pad.

0.35 m3

12.36 Ft

9.9 kg

21.83 Lbs

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	810	460	640	530	555

FrameSled base of 0.47 inch diameter steel rod. Polypropylene glides.

SeatOak board.

BackOak board.

ArmsSolid steel rod, 0.47 inch in diameter.

AccesoriesPolypropylene, felt or steel glides.

Other materialsZinc-nickel electrolyte screws. Polyvinyl acetate glue.

Fabrics / Telas

- 1

Jacquard One  
 Jacquard Three  
 Sand  
 Era  
 Gravity  
 Rivet  
 Urban
- 2

Jacquard Two  
 \*Loom One  
 Circular One Pure Eco
- 3

Jacquard Four  
 Medley  
 Revive 1  
 Main Line Flax  
 Loom Two  
 Mezzo
- 4

Jacquard 4 Special  
 Nexus  
 Floyd  
 \*Remix 3  
 Heritage  
 Savane  
 Loom Three  
 Loom Four  
 Cura  
 Oceanic
- 5

Silk  
 Synergy  
 Step  
 Step Melange  
 Blazer  
 Melange Nap  
 Glow  
 Chili  
 Noma  
 Re-wool

- 6

Go check  
 Swing  
 Chartres  
 Loom Five  
 Zori  
 Patio
- 7

Canvas 2  
 Rime  
 Select  
 Clara 2
- 8

Capture  
 Fiord 2  
 Tonus 4  
 Divina 3  
 Lopi  
 Domino
- 9

Divina MD  
 Divina Melange 3  
 Hallingdal 65  
 Steelcut Trio 3

Faux Leather / Ecopiel

- 1

Valencia
- 2

Silvertex
- 3

Maglia
- 8

Ultraleather Original  
 Ultraleather Linen  
 Ultraleather Pearlized
- 9

Brisa Original  
 Brisa Distressed  
 Brisa Fresco  
 Brisa Mokume  
 Ultraleather Cora Outdoor  
 Ultraleather Pony  
 Ultraleather Pro  
 Ultraleather Promessa  
 Ultraleather Promessa Outdoor  
 Ultraleather Dwell  
 Ultratech EcoTech
- 10

Brisa Distressed Outdoor  
 Ultraleather Distressed Outdoor  
 Ultratech Helix  
 Ultratech Wired
- 11

Ultraleather Reef Pro  
 Ultraleather Volar Bio  
 Ultratech Cove

\* Only available with parallel stitching upholstery.  
 Solo en tapizado con costuras paralelas.

Leather / Piel

- L1

High grade cow leather  
 Piel de vaca de 1ª categoría
- L3

Polished full grain leather  
 Plena flor pulida
- L6

Aniline leather batique-effect.  
 Scandinavian cattle.  
 Piel anilina efecto batique.  
 Ganado escandinavo.





Steel finish

RESISTANCE AND QUALITY	UNE-EN 16139:2013
FIREPROOF	UNE-EN 1021-1:2006 B.S. 5852 Part 2 Crib V UNI 9175 M-1 California Tech.Bulletin 117 BKZ 5.2
SUSTAINABILITY	ISO 14001 level® 2 certified to ANSI/BIFMA e3 Standard